

Stacey Dwyer to: Harry Anthony, charles.maguire, brent.wade
Andy Barrett, William Honker, Wren Stenger, Philip Dellinger, David

08/14/2012 11:25 AM

Cc: Alluy Bai

From:

Stacey Dwyer/R6/USEPA/US

To:

Harry Anthony <a href="mailto:harry">harry Anthony <a href="mailto:harry <a href="mailto:harry">harry <a href="mailto:harry <a href="mailto:harry">harry <a href="mailto:harry <a href=

brent.wade@tceq.texas.gov

Cc:

Andy Barrett <Andy@thebarrettfirm.com>, William Honker/R6/USEPA/US@EPA, Wren

Stenger/R6/USEPA/US@EPA, Philip Dellinger/R6/USEPA/US@EPA, David

Gillespie/R6/USEPA/US@EPA

Goliad Aquifer Exemption Meeting Agende

Goliad Aquifer Exemption Meeting Agenda 2012 August 16 final.docx ---- EPA Topics of Discussion

Harry and Charles,

Attached above is the table with the topics for discussion for our meeting on Thursday, August 16, 2012 from 1-2:30 p.m. I am still waiting to hear from Goliad County regarding finalization of their attendees. However, I have compiled a list of potential attendees at the bottom of this email for Goliad County. Once I get the final list of attendees from Goliad county, I will send you a separate email.

Lastly, these are the documents in electronic form from the presentation by GCGCD at the meeting with EPA on August 6, 2012.







4 wells and church with test results xds Cross section Maps08022012\_00000.pdf Simulated Travel Paths08032012\_00000.pdf





UEC Pump Tests 08022012\_00000.pdf Aug. 6, 2012 EPA Presentation.doc

Let me know if you have questions.

Thank you,

Stacey B. Dwyer, P.E. Associate Director Source Water Protection Branch U.S. EPA Region 6 214-665-6729 phone 214-665-2191 fax

### List of Confirmed Attendees

EPA

Sam Coleman- Acting Regional Administrator
Bill Honker- Acting Division Director, Water Quality
Wren Stenger- Acting Deputy Division Director, Water Quality
Stacey Dwyer- Associate Director, Source Water Protection Branch
David Gillespie- Assistant Regional Counsel
Philip Dellinger- Chief, UIC/GW Section
Ray Leissner- Engineer

00607.pdf

TCEQ Charles Maguire- Director, Radioactive Materials

Harry Anthony-Chief Operating Officer Kennon Goldman- Counsel for UEC Andy Barrett- Counsel for UEC Van Kelly- Technical consultant Craig Holmes - Technical consultant

Goliad County Groundwater Conservation District Art Dohmann- President Joe Kozielski- Vice President Raulie Irvin- Board of Directors Ernest Alaniz- Volunteer

Topic: Goliad Aquifer Technical Discussion

Date: August 16, 2012 from 1-2:30 p.m.

Goal of meeting: Discussion of available data that would help EPA in determining if water wells are currently being used as a source of drinking water.

Attendees: TCEQ, UEC, EPA, Goliad County, Goliad County Groundwater Conservation District

| Topic  | UEC Data         | EPA  | Questions for Discussion   |
|--|------------------|--|--|
| 2 church wells<br>and Braquet<br>well – are they<br>hydrologically<br>connected to<br>other sands? | Pump<br>Tests    | Pump test results were used to show isolation of the A and B sands.  However, only two monitoring well results were used to arrive at this conclusion. | Q: There is a fault that runs south of the proposed AE. What is the rationale for extrapolating the results of pump tests across the entire area and assuming that there will be isolation of sands near the church wells considering there is a fault?  Q: What data exists to show isolation of the sands considering faults and artificial penetrations in the area?  Q: Are there other pump tests or other data that address the connectivity of the A and B sands closer to the water wells? |
| "Hypothetical<br>well" up<br>gradient of<br>AE   | Capture<br>Model | UEC calculated that the capture zone of a "hypothetical" well located up gradient of the AE would only have a capture zone of 16 feet.                 | Q: What were the assumptions used in the model?  Q: What are the ranges of the data values used in the capture zone?  Q: How sensitive are the results to changes?   |
| Direction of groundwater movement  |                  | Groundwater Gradient data seems inconclusive   | Q: Are there other data that address direction of groundwater flow out of the areas of the sands proposed for exemption?   |



Stacey Dwyer to: Harry Anthony, charles.maguire, brent.wade

08/14/2012 11:25 AM

Cc: Andy Barrett, William Honker, Wren Stenger, Philip Dellinger, David

Gillespie

From:

Stacey Dwyer/R6/USEPA/US

To:

Harry Anthony <a href="mailto:harry">harry Anthony@uraniumenergy.com</a>, charles.maguire@tceq.texas.gov,

brent.wade@tceq.texas.gov

Cc:

Andy Barrett < Andy@thebarrettfirm.com>, William Honker/R6/USEPA/US@EPA, Wren

Stenger/R6/USEPA/US@EPA, Philip Dellinger/R6/USEPA/US@EPA, David

Gillespie/R6/USEPA/US@EPA



Goliad Aquifer Exemption Meeting Agenda 2012 August 16 final.docx ---- EPA Topics of Discussion

Harry and Charles,

Attached above is the table with the topics for discussion for our meeting on Thursday, August 16, 2012 from 1-2:30 p.m. I am still waiting to hear from Goliad County regarding finalization of their attendees. However, I have compiled a list of potential attendees at the bottom of this email for Goliad County. Once I get the final list of attendees from Goliad county, I will send you a separate email.

Lastly, these are the documents in electronic form from the presentation by GCGCD at the meeting with EPA on August 6, 2012.

PDF PDF

4 wells and church with test results xls Cross section Maps08022012\_00000.pdf Simulated Travel Paths08032012\_00000.pdf

UEC Pump Tests 08022012\_00000.pdf Aug. 6, 2012 EPA Presentation.doc

Let me know if you have questions.

Thank you,

Stacey B. Dwyer, P.E. Associate Director Source Water Protection Branch U.S. EPA Region 6 214-665-6729 phone 214-665-2191 fax

### List of Confirmed Attendees

EPA

TCEQ
Charles Maguire- Director, Radioactive Materials

**UEC** 

Harry Anthony-Chief Operating Officer Kennon Goldman- Counsel for UEC Andy Barrett- Counsel for UEC Van Kelly- Technical consultant Craig Holmes - Technical consultant

Goliad County Groundwater Conservation District Art Dohmann- President Joe Kozielski- Vice President Raulie Irvin- Board of Directors Ernest Alaniz- Volunteer

# EPA Presentation 8-6-12

| Name           | Grid#       | Grid# Well Location: GPS | Testing Entity | Laboratory Used | Date Tested W       | Well Depth | Chloride | Sufface Nitrate | Nitrate | SGL          | Arnesic  | iron         | Selenium   | Uranium | m Gross Alpha                           |        | Radium 226    | Radon 222 Iron Bacteria |
|----------------|-------------|--------------------------|----------------|-----------------|---------------------|------------|----------|-----------------|---------|--------------|----------|--------------|------------|---------|---|--------|---------------|-------------------------|
| Arklam, T      | 2           | 28 52.577N 97 21.741W    | GCGCD          | SARA            | 12/18/2006          | 300        | 128      | 42              |         | 582          | 0.001    |              | 0.005      |         |   |        | 3             | 378+-149                |
| Anklam, T      | 7           | 28 52.577N 97 21.741W    | UEC            | Jordan Labs     | 12/18/2006          | 300        | 131      | 8               | N       | 88           | 0.001    | <u>&amp;</u> | 0.002      | 0       | 8                                       | 0      | 74.1          |                         |
| Anklam, T      | .: <u>.</u> | 28 52.577N 97 21.741W    | රෙදෙව          | B Environmental | 4/26/2007           | 300        | 132      | 47              | 1.5     | <b>&amp;</b> | <.02     |              | <b>6</b> 8 |         |   |        |               |                         |
| Asklam, T      | z           | House Water Filter       | යෙගෙ           | 8 Environmental | 4/26/2007           |            |          |                 |         |              | <.05     | 5.55         | <.03       |         |   |        |               |                         |
| Anklam, T      | 7           | 28 52.577N 97 21.741W    | පෙසෙ           | San Antonio T L | 10/10/2007          |            |          |                 |         |              |          | - 3          |            |         |   |        |               | ۵                       |
| Anklam, T      | Ŧ.          | 28 52.577N 97 21.741W    | 60600          | SARA            | 1/20/2009           |            | 133      | 38.7            | 1.72    |              | ND.      | 8            | 0.002      | 0,000   | 13423                                   | 1-2.3  | .39+17        | 279+/-60.3              |
| Anklam, T      | <u>1</u>    | 28 52.577N 97 21.741W    | GCGCD          | SARA            | 12/10/2009          |            | 127      | 1               |         | 56           |          |              |            |         | ******                                  | 2.4    | .164.14       | 160 4-73                |
| ¹nklam, T      | ₹           | 28 52.577N 97 21.741W    | ececo          | SARA            | 10/26/2010          |            | 127      | 0.00            | 1.67    |              | 0.001    | _            |            |         | *************************************** | 2.5    | .11412        | 244+1-56.9              |
| inklam, T      | <u>*</u>    | 28 52.577N 97 21.741W    | GCGCD          | SARA            | 11/16/2011          |            | 132      |                 | 1.73    |              | ND       | S            | 0.003      | 0.0031  | 11 (-).64-3.6                           | -3.6   | 254-13        | 380+/-104               |
|                |             |                          |                |                 |                     |            |          |                 |         |              |          |              | 200        |         |   |        |               | 20, 20, 21              |
| Bluntzer, O    | 74          | 28 51.818N 97 19.802W    | GCGCD          | SARA            | 12/18/2006          | 122        | 34       | 21              |         | 468          | 0.007    |              | 0.004      | 0.0016  | l6 5.4+7                                | ±.7    | 3             | 372+147                 |
| Bluntzer, O    | 7           | 28 51.818N 97 19.802W    | UEC            | Jordan Labs     | 12/18/2006          | 122        | \$       |                 | 2.7     |              |          | 0.01         | 0.001      |         |   |        | .3+1          |                         |
| Bluntzer, O    | 7           | 28 51.818N 97 19.802W    | GCGCD          | SARA            | 1/21/2009           | 122        | 35.5     | 16.6            | 3.37    | - 1          |          | 1            | 0.002      | 0.0014  | 4 (-).8+/-1.9                           | -1.9   | .12+.14       | 317+60.4                |
| Bluntzer, O    | 7           | 28 51.818N 97 19.802W    | GCGCD          | SARA            | 12/10/2009          | 123        | 38.2     |                 | 3.65    | . ]          |          |              |            | 0.0613  |   |        | (-).006+/- 12 | 200+1-67                |
| Bluntzer, O    | 72          | 28 51.818N 97 19.802W    | GCGCD          | SARA            | 10/26/2010          | 122        | 33.4     | 16.8            | 2.6     | 455          |          | 8            | 0.003      | 0,0014  |   |        | (-).07+1.08   | 400+/-59.3              |
| Bluntzer, O    | 7           | 28 51.818N 97 19.802W    | GCGCD          | SARA            | 11/15/2011          | 123        | 36       | 13.4            |         | 459          | 0.007    | 8            | 0.002      | 0.0012  |   |        | 01+/-08       | 484-104                 |
| Bluntzer, O    | <u>"</u>    | 585 Skintzer Road        | UEC            | Jordan Labs     | 12/20/2006 old welf |            | 55       | <b>5</b> 1      | 4.9     | 520          | 0.008    | 9.06         | 0.002      | 0.001   |   |        | 74.1          |                         |
| Juderstadt, C. | ¥.          | 28 52.53N 97 21.118W     | GCGCD          | Energy Labs     | 10/27/2006          | 85         | 202      | 82              |         | 830          | 0.002    | 0.04         | 900.0      |         | 39 ±0.4+/6                              | ‡.5    | 2-1-3         | 241+82.2                |
| Juderstadt, C. | 7           | 28 52.53N 97 21.118W     | LEC.           | Jordan Labs     | 12/15/2006          | ಜ          | 208      |                 | 22      | 857          |          |              | 0.004      | 0.002   |   |        | 3+11          |                         |
| Juderstadt, C. | <u></u>     | 28 52 528N 97 21, 114W   | UEC            | Jordan Labs     | 12/15/2006          | :<br>:33   | 95       |                 |         |              | 0.003    | 6            | 0.002      |         | ъ.                                      |        | 3+.1          |                         |
| Juderstadt, C. | #.          | 28 52.528N 97 21.114W    | GCGCD          | SARA            | 12/15/2006          | 130        | 126      | 27              |         | 8            | 0.003    | 3            |            |         | 5 3.74.5                                | 5      | .4-13         | 1958+-58.1              |
| Juderstadt, C. | <u></u>     | 28 52.528N 97 21.114W    | GCGCD          | B Environmental | 4/26/2007           | 130        | 9:1      |                 |         | 527          | ,<br>S2, |              |            |         |   |        |               |                         |
| Juderstadt, C. | 7           | 28 52.528N 97 21, 114W   | GCGCD          | San Antonio TL  | 10/10/2007          | 130        |          |                 |         |              |          |              |            |         |   |        |               | 0000                    |
| Juderstadt, C. | 7           | 28 52.528N 97 21.114W    | GCGCD          | B Environmental | 1/28/2008           | 130        | 273      | 83.2            |         | 607          | 6        | <u>^</u>     | <.02       |         |   |        |               |                         |
| Duderstadt, C. | 14          | 28 52.528N 97 21.114W    | ececD          | SARA            | 1/20/2009           | 130        | 88       |                 | o,      | 627          | _        | S            | 0.004      |         |   | 1-2.9  | .17-1.14      | 197+√-59.4              |
| Juderstadt, C. | 7           | 28 52.528N 97 21.114W    | GCGCD          | SARA            | 12/10/2009          | 130        | 76.3     |                 | 3.98    |              |          |              | 0.004      |         | 54 52428                                | 1.2.8  | 14-13         | 200 +4-72               |
| Duderstadt, C. | 7           | 28 52.528N 97 21.114W    | GCGCD          | SARA            | 10/26/2010          | 130        | 8.53     |                 |         |              |          |              | 0.003      | 0.0062  |   | 5-1-29 | 24+-14        | 164+4-55.7              |
| Duderstadt, C. | 7           | 28 52.528N 97 21.114W    | GCGCD          | SARA            | 11/16/2011          | 136        | 76.7     |                 |         |              |          |              | 0.005      |         |   | 3-4.4  | 24+.13        | 202-4-102               |
|                |             |                          |                |                 |                     |            |          |                 |         |              |          |              | į          | •       |   |        | i<br>S        |                         |

| Name               | Grid#       | Well Location: GPS    | Testing Entity | Testing Entity Laboratory Used | Date Tested Well Depth Chloride Sulfate Nitrate | /ell Depth | Chloride | Sulfate | Nikra   | te IDS     |   | Amesic | iron | Selenium     | Uranium | nium Gross Alpha | Radium 226           | Radon 222 Iron Bacteria | on Bact |
|--------------------|-------------|-----------------------|----------------|--------------------------------|---|------------|----------|---------|---------|------------|---|--------|------|--------------|---------|------------------|----------------------|-------------------------|---------|
| I gna              | 4           | 28 51.908N 97 21.716W | GCGCD          | SARA                           | 12/18/2006                                      | 120        | 165      |         | υ<br>00 |            | 88<br>44                                | 0.002  |      |              | 0.0038  | 8-47             | 74-3                 | 500-4-154               |         |
| Long, T            | 7           | 28 51.908N 97 21.716W | UEC            | Jordan Labs                    | 12/18/2006                                      | 120        | 173      |         | 셠       | 0.0<br>0.0 | <u>Ф</u>                                | 0.002  | 6    | 0.001        | 0.003   |                  | <u> </u>             |                         |         |
| Long, T            |             | 28 51.908N 97 21.716W | GCGCD          | B Environmental                | 4/26/2007                                       | 120        | 158      |         | 64      | 0.7        | 526                                     | 8      | ÷0.  | <b>^</b> .03 |         |                  |                      |                         |         |
| Long, T            | <del></del> | 28 51.908N 97 21.716W | GCGCD          | San Antonio TL                 | 10/10/2007                                      | 120        |          |         |         |            | • |        |      |              |         |                  |                      | Δ                       |         |
| Long, T            | 74          | 28 51.908N 97 21.716W | GCGCD          | B Environmental                | 3/31/2008                                       | 120        | 172      | 55.7    |         | 0.65       | 83                                      | 6      | 0.02 | Śġ.          | 0.0034  | 14.7+2.5         | 74-2                 | 545-4-67.6              |         |
| Long, T            | 14          | 28 51.908N 97 21.716W | යෙහෙ           | SARA                           | 1,20,2009                                       | 120        | 175      | 55.7    |         | 0.451 6    | 674                                     | 0.002  | ě    | 0.003        | 0.0032  | 3.84-27          | .84+-23              | 536+4-62.8              |         |
| Long, T            | 7           | 28 51.908N 97 21.716W | ලෙහෙ           | SARA                           | 12/10/2009                                      | 120        | 133      | 54.5    |         | 0.476 6    | 8                                       | 0.002  | 8    | 0.002        | 0.0034  | 7.14-29          | \$1. <del>\</del> +: | 58-F019                 |         |
| Lorg, T            | 14          | 28 51.908N 97 21.716W | යටටට           | SARA                           | 10/26/2010                                      | 120        | 170      | 3.85    |         | 0.487 6    | 83                                      | 0.003  | 품    | 0.002        | 0.0037  | 7.34/3           | 1.54-24              | 584+4-61.4              |         |
| Long, T            | 14          | 28 51.908N 97 21,716W | GCGCD          | SARA                           | 11/15/2011                                      | 120        | 172      | 2       |         | 0.503 8    | <u>85</u>                               | 0.002  | ₹    | 0.003        | 0.0032  | 4.5+4.5          | 1.3423               | 857+J-110               |         |
|                    |             |                       |                |                                |   |            |          |         |         |            |   |        |      |              |         | ****             |                      |                         |         |
| St. Peter's Church | 7.          | 28 51.474N 97 20.707W | යෙගෙ           | SARA                           | 10/27/2006                                      | 80         | 109      |         | 27      | 2.73 9     | 958                                     | 0.009  | 공    | 0.006        | 0.0034  | 6.2+.6           | .43<br>              | 114+4-60.7              |         |
| St. Peter's Church | 74          | 28 51.474N 97 20.707W | E S            | Jordan Labs                    | 12/20/2006                                      | 80         | 124      |         | 27      | 3          | 751                                     | 0.008  | 0.03 | 0.004        | 0.003   |                  | 2+.1                 |                         |         |
| St. Peter's Church | 74          | 28 51.474N 97 20.707W | 60909          | Energy Labs                    | 2/13/2007                                       | 80         | 1 5      |         | 29      | 2.9 7      | 708                                     | 0.01   |      | 0.007        | 0.0033  | 5.3 √.4          | 8                    | 170-4-43.3              |         |
| St. Peter's Church | #           | 28 51.474N 97 20.707W | GCGCD          | B Environmental                | 3/31/2008                                       | 8          | 151      |         | 26      | 3.63 7     | 748                                     | 6      | 6    | <.02         | 0.0031  | 4.6-1-1.1        | (-),09+/09           | 188-4-63                |         |
| St. Peter's Church | 7,          | 28:51.474N 97 20.707W | GCGCD          | SARA                           | 1/20/2009                                       | 80         | 138      | 25.9    | 9       | 38         | 254                                     | 0.008  | Š    | 0.005        | 0.0029  | 49+-35           | (-).05 - 11          | 191+1-57.5              |         |
| St. Peter's Church | 4           | 28 51.474N 97 20.707W | GCGCD          | SARA                           | 12/10/2009                                      | 88         | 170      | 25.3    |         | 3.66 7     | 734                                     | 0.008  | Š    | 0.005        | 0.003   | 3+27             | 05+1-07              | 180+-69                 |         |
| St. Peter's Church | <b>2</b> 2  | 28 51.474N 97 20.707W | GCGCD          | SARA                           | 10/26/2010                                      | 80         | 113      | 25.3    |         | 3.98 7     | 732                                     | 0.009  | 0.03 | 0.005        | 0.003   | .743             | 0(-) 1+-07           | 242+1-58                |         |
| St. Peter's Church | <b>;</b> ;  | 28 51.474N 97 20.707W | GCGCD          | SARA                           | 11/15/2011                                      | 80         | 103      | 23.9    |         | 3.58 6     | 88                                      | 0.008  | Ş    | 0.008        | 0.0028  | (-)A+1-4.4       | 03++ 09              | 253-4-102               |         |
| St. Peter's Church | 4           | 28:51.478N 97:20.708W | UEC            | Jordan Labs                    | 12/20/2006                                      | 8          | 474      |         | 55.4    | ì.         | <u> </u>                                | 3      | 2    | 2005         | 9903    |                  | 3-1-1                |                         |         |



Stacey Dwyer to: Harry Anthony, charles.maguire, brent.wade

08/14/2012 11:25 AM

Cc: Andy Barrett, William Honker, Wren Stenger, Philip Dellinger, David

Gillespie

From:

Stacey Dwyer/R6/USEPA/US

To:

Harry Anthony <a href="mailto:harry">harry Anthony@uraniumenergy.com</a>, charles.maguire@tceq.texas.gov,

brent.wade@tceq.texas.gov

Cc:

Andy Barrett <Andy@thebarrettfirm.com>, William Honker/R6/USEPA/US@EPA, Wren

Stenger/R6/USEPA/US@EPA, Philip Dellinger/R6/USEPA/US@EPA, David

Gillespie/R6/USEPA/US@EPA



GoliadAquiferExemptionMeetingAgenda 2012 August 16 final.docx ---- EPA Topics of Discussion

Harry and Charles,

Attached above is the table with the topics for discussion for our meeting on Thursday, August 16, 2012 from 1-2:30 p.m. I am still waiting to hear from Goliad County regarding finalization of their attendees. However, I have compiled a list of potential attendees at the bottom of this email for Goliad County. Once I get the final list of attendees from Goliad county, I will send you a separate email.

Lastly, these are the documents in electronic form from the presentation by GCGCD at the meeting with EPA on August 6, 2012.



est results.xls Cross section Maps08022012\_



4 wells and church with test results xls Cross section Maps08022012\_00000.pdf Simulated Travel Paths08032012\_00000.pdf

is as accion in

UEC Pump Tests 08022012\_00000.pdf Aug. 6, 2012 EPA Presentation.doc

Let me know if you have questions.

Thank you,

Stacey B. Dwyer, P.E. Associate Director Source Water Protection Branch U.S. EPA Region 6 214-665-6729 phone 214-665-2191 fax

### List of Confirmed Attendees


**EPA** 


TCEQ
Charles Maguire- Director, Radioactive Materials


**UEC** 


Harry Anthony-Chief Operating Officer Kennon Goldman- Counsel for UEC Andy Barrett- Counsel for UEC Van Kelly- Technical consultant Craig Holmes - Technical consultant


Goliad County Groundwater Conservation District Art Dohmann- President Joe Kozielski- Vice President Raulie Irvin- Board of Directors Ernest Alaniz- Volunteer































Stacey Dwyer to: Harry Anthony, charles.maguire, brent.wade
Andy Barrett, William Honker, Wren Stenger, Philip Dellinger, David

08/14/2012 11:25 AM

Gillespie

From:

Stacey Dwyer/R6/USEPA/US

To:

Harry Anthony <a href="mailto:harry">harry Anthony@uraniumenergy.com</a>, charles.maguire@tceq.texas.gov,

brent.wade@tceq.texas.gov

Cc:

Andy Barrett <Andy@thebarrettfirm.com>, William Honker/R6/USEPA/US@EPA, Wren

Stenger/R6/USEPA/US@EPA, Philip Dellinger/R6/USEPA/US@EPA, David

Gillespie/R6/USEPA/US@EPA



GoliadAquiferExemptionMeetingAgenda 2012 August 16 final.docx ---- EPA Topics of Discussion

Harry and Charles,


Attached above is the table with the topics for discussion for our meeting on Thursday, August 16, 2012 from 1-2:30 p.m. I am still waiting to hear from Goliad County regarding finalization of their attendees. However, I have compiled a list of potential attendees at the bottom of this email for Goliad County. Once I get the final list of attendees from Goliad county, I will send you a separate email.

Lastly, these are the documents in electronic form from the presentation by GCGCD at the meeting with EPA on August 6, 2012.





4 wells and church with test results xls Cross section Maps08022012\_00000.pdf Simulated Travel Paths08032012\_00000.pdf



UEC Pump Tests 08022012\_00000.pdf Aug. 6, 2012 EPA Presentation.doc

Let me know if you have questions.

Thank you,

Stacey B. Dwyer, P.E. Associate Director Source Water Protection Branch U.S. EPA Region 6 214-665-6729 phone 214-665-2191 fax

## List of Confirmed Attendees

**EPA** 

TCEQ
Charles Maguire- Director, Radioactive Materials

Harry Anthony-Chief Operating Officer Kennon Goldman- Counsel for UEC Andy Barrett- Counsel for UEC Van Kelly- Technical consultant Craig Holmes - Technical consultant

Goliad County Groundwater Conservation District Art Dohmann- President Joe Kozielski- Vice President Raulie Irvin- Board of Directors Ernest Alaniz- Volunteer

0



Stacey Dwyer to: Harry Anthony, charles.maguire, brent.wade

08/14/2012 11:25 AM

Cc: Andy Barrett, William Honker, Wren Stenger, Philip Dellinger, David

Gillespie

From:

Stacey Dwyer/R6/USEPA/US

To:

Harry Anthony <a href="mailto:harry">harry Anthony@uraniumenergy.com</a>, charles.maguire@tceq.texas.gov,

brent.wade@tceq.texas.gov

Cc:

Andy Barrett <Andy@thebarrettfirm.com>, William Honker/R6/USEPA/US@EPA, Wren

Stenger/R6/USEPA/US@EPA, Philip Dellinger/R6/USEPA/US@EPA, David

Gillespie/R6/USEPA/US@EPA



Goliad Aquifer Exemption Meeting Agenda 2012 August 16 final docx ---- EPA Topics of Discussion

Harry and Charles,

Attached above is the table with the topics for discussion for our meeting on Thursday, August 16, 2012 from 1-2:30 p.m. I am still waiting to hear from Goliad County regarding finalization of their attendees. However, I have compiled a list of potential attendees at the bottom of this email for Goliad County. Once I get the final list of attendees from Goliad county, I will send you a separate email.

Lastly, these are the documents in electronic form from the presentation by GCGCD at the meeting with EPA on August 6, 2012.







4 wells and church with test results xls Cross section Maps08022012\_00000.pdf Simulated Travel Paths08032012\_00000.pdf

W

UEC Pump Tests 08022012\_00000.pdf Aug. 6, 2012 EPA Presentation.doc

Let me know if you have questions.

Thank you,

Stacey B. Dwyer, P.E. Associate Director Source Water Protection Branch U.S. EPA Region 6 214-665-6729 phone 214-665-2191 fax

### **List of Confirmed Attendees**

EPA

TCEQ
Charles Maguire- Director, Radioactive Materials

Harry Anthony-Chief Operating Officer Kennon Goldman- Counsel for UEC Andy Barrett- Counsel for UEC Van Kelly- Technical consultant Craig Holmes - Technical consultant

Goliad County Groundwater Conservation District Art Dohmann- President Joe Kozielski- Vice President Raulie Irvin- Board of Directors Ernest Alaniz- Volunteer

| Test        | Radium      | RBLB 1,3,4,5 (PCi/l) | PTW <sub>1</sub> -6<br>(PCi/l) | PTW 7-14<br>(PCi/I) | ALL<br>WELLS |
|-------------|-------------|----------------------|--------------------------------|---------------------|--------------|
| First Test  | Average     | 408                  | 138                            | 475                 | 33.4         |
|             | High        | 1601                 | 357                            | 1684                | 1684         |
|             | Low         | 37                   | 71                             | OI                  | 01           |
|             | Stand. Dev. | 480                  | 138                            | 561                 | 426          |
| Second Test | Average     | 627                  | 185                            | 537                 | 421          |
|             | High        | 1210                 | 549                            | 2000                | 2000         |
|             | Low         | 87                   | 17                             | 65                  | 17           |
|             | Stand. Dev. | 477                  | 205                            | 653                 | 491          |
| Third Test  | Average     | 692                  | 227                            | 465                 | 410          |
|             | High        | 1500                 | 830                            | 1590                | 1590         |
|             | Low         | 85                   | OI                             | 63                  | 10           |
|             | Stand. Dev. | 267                  | 314                            | 509                 | 468          |
|             |             |                      |                                |                     |              |

| Test        | Uranium     | RBLB 1,3,4,5<br>(mg/l) | PTW 1-6 (mg/l) | PTW 7-14 (mg/l) | ALL WELLS (mg/l) |
|-------------|-------------|------------------------|----------------|-----------------|------------------|
| First Test  | Average     | 0.052                  | 0.021          | 0.218           | 0.115            |
|             | High        | 0.080                  | 0.059          | 0.804           | 0.804            |
|             | Low         | 0.006                  | 0.000          | 0.099           | 0.006            |
|             | Stand. Dev. | 0.032                  | 0.021          | 0.239           | 0.181            |
| Second Test | Average     | 0.057                  | 0.024          | 0.020           | 0.029            |
|             | High        | 0.150                  | 0.000          | 0.019           | 0.150            |
|             | Low         | 0.004                  | 0.003          | 0.005           | 0.003            |
|             | Stand. Dev. | 690.0                  | 0.034          | 0.021           | 0.040            |
| Third Test  | Average     | 0.007                  | 0.003          | 0.005           | 0.005            |
|             | High        | 0.013                  | 0.004          | 0,010           | 0.013            |
|             | Low         | 0.003                  | 0.003          | 0.003           | 0.003            |
|             | Stand. Dev. | 0.004                  | 0.003          | 0.003           | 0.003            |



Stacey Dwyer to: Harry Anthony, charles.maguire, brent.wade
Andy Barrett, William Honker, Wren Stenger, Philip Dellinger, David

08/14/2012 11:25 AM

Gillespie

From:

Stacey Dwyer/R6/USEPA/US

To:

Harry Anthony <a href="mailto:harry">harry Anthony@uraniumenergy.com</a>, charles.maguire@tceq.texas.gov,

brent.wade@tceq.texas.gov

Cc:

Andy Barrett <Andy@thebarrettfirm.com>, William Honker/R6/USEPA/US@EPA, Wren

Stenger/R6/USEPA/US@EPA, Philip Dellinger/R6/USEPA/US@EPA, David

Gillespie/R6/USEPA/US@EPA



GoliadAquiferExemptionMeetingAgenda 2012 August 16 final.docx ---- EPA Topics of Discussion

Harry and Charles,

Attached above is the table with the topics for discussion for our meeting on Thursday, August 16, 2012 from 1-2:30 p.m. I am still waiting to hear from Goliad County regarding finalization of their attendees. However, I have compiled a list of potential attendees at the bottom of this email for Goliad County. Once I get the final list of attendees from Goliad county, I will send you a separate email.

Lastly, these are the documents in electronic form from the presentation by GCGCD at the meeting with EPA on August 6, 2012.







4 wells and church with test results xls Cross section Maps08022012\_00000.pdf Simulated Travel Paths08032012\_00000.pdf

UEC Pump Tests 08022012\_00000.pdf Aug. 6, 2012 EPA Presentation.doc

Let me know if you have questions.

Thank you,

Stacey B. Dwyer, P.E. Associate Director Source Water Protection Branch U.S. EPA Region 6 214-665-6729 phone 214-665-2191 fax

### List of Confirmed Attendees

**EPA** 

TCEQ
Charles Maguire- Director, Radioactive Materials

Harry Anthony-Chief Operating Officer Kennon Goldman- Counsel for UEC Andy Barrett- Counsel for UEC Van Kelly- Technical consultant

Craig Holmes - Technical consultant

Goliad County Groundwater Conservation District Art Dohmann- President Joe Kozielski- Vice President Raulie Irvin- Board of Directors Ernest Alaniz- Volunteer

## THE GOLIAD COUNTY GROUNDWATER CONSERVATION DISTRICT PRESENTATION TO THE ENVIRONMENTAL PROTECTION AGENCY AUGUST 6, 2012

On November 6, 2001, Goliad County residents approved the formation of a Groundwater Conservation District, GCGCD. The purpose of the District is to provide for the conservation, preservation, protection, recharging, and prevention of waste of groundwater, and of groundwater reservoirs or their subdivisions, in accordance with Chapter 36, State Water Code.

The Directors of GCGCD thank you for the opportunity to meet with you today to continue the dialogue in reference to the proposed uranium mining permit UR-03075 and the associated aquifer exemption.

With the issuance of the draft permit for public comment by TCEQ, many area residents and organizations responded with questions and comments. As noted in our previous letter, TCEQ issued 188 responses to approximately 350 comments. Today's meeting focuses on the protection of the drinking water for residents located in close proximity outside of the aquifer exemption boundary. In the TCEQ response #13, it states that "Individuals may protect their rights by contacting local law enforcement or seeking redress in a civil proceeding". GCGCD supports the position of the EPA that modeling should be done to provide a thorough technical analysis of the project. Protection through a civil proceeding is not a practical solution.

In reference to attachment 1, please note that there are a number of residences that ring the perimeter of the requested aquifer exemption. There are 18 residences and 1 church in the first segment, followed by many more expanding outward. A special note about the church is that it does not only function as a religious place but also as a community center. Many social activities such as birthday parties and family reunions are held at the church hall. GCGCD does not have the legal description of the aquifer exemption boundary, but by using to scale maps supplied with the permit application, the distance to these drinking water supply wells is approximately 1000 to 3000 feet.

In looking at directional migration of the groundwater in the area of the requested aquifer exemption, using the regional migration of groundwater from north-west to south-east only, may not be accurate. A review of the cross-sections provided in the permit application shows considerable variability in elevations and thickness of the aquifer sands. At the fault lines, there are vertical connections from one sand zone to another. The model presented by UEC during the contested case hearing also showed localized groundwater flow being somewhat vertical to the regional flow direction. The above data does not support a homogeneous flow pattern. There may be preferential flow patterns. This is further support for the request of doing a groundwater transport model.

A potential groundwater transport issue was discussed during the contested case hearing that can not be ignored. Evaluate an event where a landowner, located outside the aquifer exemption area, approached GCGCD for a permit to install a high production well such as an irrigation well. Abiding by the production limits set by the District and using the groundwater for a beneficial use, this potential permit would be issued. During the hearing, the modeler for UEC was asked about this hypothetical situation and he replied that "I would definitely not like to have pumping right in the near vicinity of my baseline monitoring wells". The discussion was about a hypothetical situation but there are a number of existing domestic and livestock supply wells that currently pump in the near vicinity that need to be fully integrated in a groundwater transport model.

I would like to spend a few minutes discussing several related water quality questions. What was the real before exploration water quality inside the aquifer exemption area? What are the real baseline values that should apply to restoration? With the acknowledgement by TCEQ that no previous uranium mining operation has completely restored water to baseline values, what should be done?

Of the 18 residences and 1 church noted in the first segment, GCGCD has been testing water quality of 4 of the residences and the 1 church for five years, see attachment 2. The constituents for the individual wells have shown very little variability.

Referring to attachment 3 a and b, these are the test results for the baseline and pump test wells located inside the aquifer exemption area. The first samples were taken in April 2008, the second in July 2009, and the third in November 2009. The first samples were taken shortly after the wells were completed in exploration borehole drilling was in progress. Please note that the uranium values were the highest in the first set of samples and 18 months later the uranium values had dropped and were now within drinking water standards. For the same wells and test dates, the radium values did not decline. What happened to cause this large variability?

Daniel B. Stephens & Associates provided expert hydrology testimony for GCGCD during the contested case hearing and had previously modeled a typical five spot uranium injection/extraction operation water flow diagram, attachment 4. GCGCD has contacted Daniel B. Stephens in reference to the modeling proposed by the EPA. They have provided a proposal to do an initial cost-effective analysis. This analysis will use currently available information concerning hydraulic gradient, hydraulic conductivity and effective porosity for the purpose of calculating straight line travel time migration values from the aquifer exemption area to the area water wells. This study will cost approximately \$9,000. GCGCD will consider providing this study if it will be used.